



# flexidestop Accessibility Conformance Report

## International Edition

(Based on VPAT<sup>®</sup> Version 2.5 Rev.)

### Name of Product/Version:

flexidestop (Web Application)

Components covered under this VPAT:

- Main Application Interface:  
<https://login-us.flexidestop.com> (US/Canada)  
<https://login-eu.flexidestop.com> (Europe)  
<https://login-ap.flexidestop.com> (Asia-Pacific)
- Administrative Dashboard: <https://www.flexidestop.com/my-account/>

### Report Date:

April 8, 2026

### Product Description:

flexidesktop is a cloud-based virtual desktop platform that enables users to access and manage Windows desktop environments through a web browser. It features a dual-interface system: a web dashboard for account management, provisioning, and monitoring, and the main virtual desktop environment where users interact with their hosted systems.

This VPAT (Voluntary Product Accessibility Template) report evaluates the accessibility of the flexidesktop Web Application, including both the administrative dashboard (flexidesktop.com) and the main virtual desktop environment (e.g., login-eu.flexidesktop.com), in accordance with WCAG 2.2 Level AA standards.

## **Contact Information:**

### **flexidesktop Team's Contact:**

Email: [info@flexidesktop.com](mailto:info@flexidesktop.com)

### **Accessibility Auditor's Contact:**

Email: [audit@accessmeter.com](mailto:audit@accessmeter.com)

## **Notes:**

flexidesktop is a third-party application that displays a Windows interface in a browser. This VPAT covers accessibility of flexidesktop only, including both the user account interface and the virtual desktop environment, and does not cover the underlying Windows operating system or native Windows applications.

## **Evaluation Methods Used:**

### **Automated testing using tools such as:**

- Deque's AXE DevTools testing tool

- Google Lighthouse Chrome extension

**Manual testing using:**

- Windows 11 Operating System on Desktop
- Color Contrast Analyzer (CCA)
- WhatFont Chrome extension
- Chrome developer tool
- NVDA [NonVisual Desktop Access]—Screen reader
- Keyboard
- Mouse

## Applicable Standards/Guidelines

This report covers the degree of conformance with the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes)

Standard/Guideline	Included In Report
	Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> AND <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(No)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
  - Clause 9 - Web
  - Clauses 10.1-10.4 of Clause 10 - Non-Web documents
  - Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
  - Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
  - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
  - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes: The product under review has been thoroughly evaluated based on level A Success criteria are presented in the table below:

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.1.1 Non-text Content</b> (Level A) All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.</p> <ul style="list-style-type: none"> <li>● <b>Controls, Input:</b> If non-text content is a control or accepts user input, then it has a name that describes its purpose. (Refer to Guideline 4.1 for additional requirements for controls and content that accepts user input.)</li> <li>● <b>Time-Based Media:</b> If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. (Refer to Guideline 1.2 for additional requirements for media.)</li> <li>● <b>Test:</b> If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content.</li> <li>● <b>Sensory:</b> If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content.</li> <li>● <b>CAPTCHA:</b> If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of</li> </ul>	<p><b>Supports</b></p>	<p>Images are properly handled: Decorative images are hidden from AT, while essential images are properly assigned with text alternatives.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities.</p> <ul style="list-style-type: none"> <li>● <b>Decoration, Formatting, Invisible:</b> If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology.</li> </ul>		
<p><a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A) For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:</p> <ul style="list-style-type: none"> <li>● <b>Prerecorded Audio-only:</b> An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.</li> <li>● <b>Prerecorded Video-only:</b> Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.</li> </ul>	<b>Not Applicable</b>	No audio-only or video-only content.
<p><a href="#">1.2.2 Captions (Prerecorded)</a> (Level A) Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	<b>Not Applicable</b>	No synchronized media.
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	<b>Not Applicable</b>	No synchronized media.
<p><a href="#">1.3.1 Info and Relationships</a> (Level A) Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in</p>	<b>Supports</b>	Heading levels are correctly sequential, and form labels are correctly programmatically associated with their visible labels.

Criteria	Conformance Level	Remarks and Explanations
text.		
<p><a href="#">1.3.2 Meaningful Sequence</a> (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>	<b>Supports</b>	Screen readers followed the correct meaningful reading order from left to right and from top to bottom.
<p><a href="#">1.3.3 Sensory Characteristics</a> (Level A) Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.</p>	<b>Supports</b>	No operational or cognitive instruction relied on shape, size, visual location, orientation, or sound.
<p><a href="#">1.4.1 Use of Color</a> (Level A) Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<b>Supports</b>	Color is not used as the only means of conveying essential meaning.
<p><a href="#">1.4.2 Audio Control</a> (Level A) If any audio on a web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	<b>Not Applicable</b>	No 3 or more seconds of auto-playing audio content were found in the app.
<p><a href="#">2.1.1 Keyboard</a> (Level A) All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	<b>Supports</b>	All interactive functionality can be accessed with the keyboard.
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A) If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the</p>	<b>Supports</b>	No interactive element that received focus trapped it.

Criteria	Conformance Level	Remarks and Explanations
<p>user is advised of the method for moving focus away.</p>		
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2)            If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:</p> <p><b>Turn off:</b> A mechanism is available to turn the shortcut off;  <b>Remap:</b> A mechanism is available to remap the shortcut to include one or more non-printable keyboard keys (e.g., Ctrl, Alt);  <b>Active only on focus:</b> The keyboard shortcut for a user interface component is only active when that component has focus.</p>	<p><b>Not Applicable</b></p>	<p>No shortcut keys involving characters were found on the entire app's flow.</p>
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)            For each time limit that is set by the content, at least one of the following is true:</p> <p style="padding-left: 40px;"><b>Turn off:</b> The user is allowed to turn off the time limit before encountering it; or  <b>Adjust:</b> The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or  <b>Extend:</b> The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or  <b>Real-time Exception:</b> The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or  <b>Essential Exception:</b> The time limit is essential and extending it would invalidate the activity; or</p> <p>● <b>20 Hour Exception:</b> The time limit is longer than 20 hours.</p>	<p><b>Supports</b></p>	<p>User sessions can expire if the user does not engage with the app for a specific time less than 20 hours. However, the user is warned and can extend the session.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.2.2 Pause, Stop, Hide</a> (Level A) For moving, blinking, scrolling, or auto-updating information, all of the following are true: (Level A)</p> <p><b>Moving, blinking, scrolling:</b> For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and</p> <ul style="list-style-type: none"> <li>● <b>Auto-updating:</b> For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.</li> </ul>	<b>Not Applicable</b>	No auto-moving animation was found on the app.
<p><a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A) Web pages do not contain anything that flashes more than three times in any one-second period, or the flash is below the general flash and red flash thresholds.</p>	<b>Supports</b>	No flashing content.
<p><a href="#">2.4.1 Bypass Blocks</a> (Level A) A mechanism is available to bypass blocks of content that are repeated on multiple web pages.</p>	<b>Supports</b>	A “skip to content” link is missing on the login and dashboard pages.
<p><a href="#">2.4.2 Page Titled</a> (Level A) Web pages have titles that describe the topic or purpose.</p>	<b>Supports</b>	Each of the pages has a meta title attribute.
<p><a href="#">2.4.3 Focus Order</a> (Level A) If a web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>	<b>Supports</b>	Keyboard focus moves as expected, and according to the correct reading order.
<p><a href="#">2.4.4 Link Purpose (In Context)</a> (Level A) The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link</p>	<b>Supports</b>	The purpose of each link can be determined from their visible anchor texts.

Criteria	Conformance Level	Remarks and Explanations
context, except where the purpose of the link would be ambiguous to users in general.		
<p><b>2.5.1 Pointer Gestures</b> (Level A 2.1 and 2.2)  All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.</p>	<b>Supports</b>	The app's mouse settings supported both drag-based and non-drag interaction methods.
<p><b>2.5.2 Pointer Cancellation</b> (Level A 2.1 and 2.2)  For functionality that can be operated using a single pointer, at least one of the following is true:</p> <p><b>No Down-Event:</b> The down-event of the pointer is not used to execute any part of the function;</p> <p><b>Abort or Undo:</b> Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion;</p> <p><b>Up Reversal:</b> The up-event reverses any outcome of the preceding down-event;</p> <p><b>Essential:</b> Completing the function on the down-event is essential.</p>	<b>Supports</b>	All functionalities are verified to be triggered by an up-event and not a down-event. Thus, users can cancel a click event by moving the pointer device a bit after the down event
<p><b>2.5.3 Label in Name</b> (Level A 2.1 and 2.2)  For user interface components with labels that include text or images of text, the name contains the text that is presented visually.</p>	<b>Supports</b>	All UI components that have visible labels have programmatic names that match them.
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 and 2.2)  Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:</p> <p><b>Supported Interface:</b> The motion is used to operate functionality through an accessibility-supported interface;</p>	<b>Not Applicable</b>	No functionality depends on device or user relative motion.

Criteria	Conformance Level	Remarks and Explanations
<p><b>Essential:</b> The motion is essential for the function, and doing so would invalidate the activity.</p>		
<p><a href="#">3.1.1 Language of Page</a> (Level A) The default human language of each Web page can be programmatically determined.</p>	<b>Supports</b>	All pages are properly assigned with valid language attributes.
<p><a href="#">3.2.1 On Focus</a> (Level A) When any component receives focus, it does not initiate a change of context.</p>	<b>Supports</b>	A change of context did not occur when any component received focus.
<p><a href="#">3.2.2 On Input</a> (Level A) Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>	<b>Supports</b>	No unexpected change of context was observed during data input or when modifying any component settings.
<p><a href="#">3.2.6 Consistent Help</a> (Level A 2.2 only) If a Web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple Web pages within a set of Web pages, they occur in the same order relative to other page content, unless a change is initiated by the user:</p> <ul style="list-style-type: none"> <li>● Human contact details;</li> <li>● Human contact mechanism;</li> <li>● Self-help option;</li> <li>● A fully automated contact mechanism.</li> </ul>	<b>Supports</b>	All help mechanisms implemented on the site and app interface are consistently located.
<p><a href="#">3.3.1 Error Identification</a> (Level A) If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>	<b>Supports</b>	This application handles error identification and description considerably well.
<p><a href="#">3.3.2 Labels or Instructions</a> (Level A)</p>	<b>Supports</b>	All input fields have proper labels or clear

Criteria	Conformance Level	Remarks and Explanations
Labels or instructions are provided when content requires user input.		instructions.
<p><b>3.3.7 Redundant Entry</b> (Level A 2.2 only) Information previously entered by or provided to the user that is required to be entered again in the same process is either:</p> <ul style="list-style-type: none"> <li>● auto-populated, or</li> <li>● available for the user to select.</li> </ul> <p>Except when:</p> <ul style="list-style-type: none"> <li>● re-entering the information is essential.</li> <li>● the information is required to ensure the security of the content, or</li> <li>● previously entered information is no longer valid.</li> </ul> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	Known user data that is required to be entered again is usually auto-populated.
<p><b>4.1.1 Parsing</b> (Level A) In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features. Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply</p>	<b>Not Applicable</b>	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a> .
<p><b>4.1.2 Name, Role, Value</b> (Level A) For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>	<b>Supports</b>	All user interface components and interactive elements are properly labeled, and their roles as well as their dynamic states are programmatically defined.

Criteria	Conformance Level	Remarks and Explanations

## Table 2: Success Criteria, Level AA

Notes: The product under review has been thoroughly evaluated based on level AA success criteria presented in the table below:

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.4 Captions (Live)</a> (Level AA) Captions are provided for all live audio content in synchronized media.</p>	<b>Not Applicable</b>	No live events or synchronized media.
<p><a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA) Audio description is provided for all prerecorded video content in synchronized media.</p>	<b>Not Applicable</b>	No synchronized media.
<p><a href="#">1.3.4 Orientation</a> (Level AA 2.1 and 2.2) Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.</p>	<b>Supports</b>	This app simulates a desktop environment in a browser; thus, the default orientation expected is landscape.
<p><a href="#">1.3.5 Identify Input Purpose</a> (Level AA 2.1 and 2.2) The purpose of each input field collecting information about the user can be programmatically determined when:</p> <ul style="list-style-type: none"> <li>• The input field serves a purpose identified in the Input Purposes for user interface components section; and</li> <li>• The content is implemented using technologies with support for identifying the expected meaning for form input data.</li> </ul>	<b>Supports</b>	Input fields are assigned with autocomplete and code-level properties that expose their purposes to assistive technology.
<p><a href="#">1.4.3 Contrast (Minimum)</a> (Level AA) The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p>	<b>Supports</b>	All text is properly contrasted with its background.

Criteria	Conformance Level	Remarks and Explanations
<p><b>Large Text:</b> Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;</p> <p><b>Incidental:</b> Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.</p> <ul style="list-style-type: none"> <li>● <b>Logotypes:</b> Text that is part of a logo or brand name has no minimum contrast requirement.</li> </ul>		
<p><a href="#">1.4.4 Resize text</a> (Level AA)            Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	<b>Supports</b>	Users can zoom up to 200% and resize texts correctly without loss of functionality or content.
<p><a href="#">1.4.5 Images of Text</a> (Level AA)            If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:</p> <ul style="list-style-type: none"> <li>● <b>Customizable:</b> The image of text can be visually customized to the user's requirements;</li> <li>● <b>Essential:</b> A particular presentation of text is essential to the information being conveyed.</li> </ul>	<b>Supports</b>	An image of the text was only found in the app's logo. This can be considered an exception.
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)            Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:</p> <ul style="list-style-type: none"> <li>● Vertical scrolling content at a width equivalent to 320 CSS pixels;</li> <li>● Horizontal scrolling content at a height equivalent to 256 CSS</li> </ul>	<b>Supports</b>	Users can zoom up to 400% and reflow the page correctly without horizontal scrolls, loss of functionality, or content.

Criteria	Conformance Level	Remarks and Explanations
<p>pixels. Except for parts of the content which require two-dimensional layout for usage or meaning.</p>		
<p><b><a href="#">1.4.11 Non-text Contrast</a></b> (Level AA 2.1 and 2.2) The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):</p> <p><b>User Interface Components:</b> Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author;</p> <p><b>Graphical Objects:</b> Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.</p> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	All interactive elements have sufficient color contrast with their surrounding backgrounds.
<p><b><a href="#">1.4.12 Text Spacing</a></b> (Level AA 2.1 and 2.2) In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <ul style="list-style-type: none"> <li>● Line height (line spacing) to at least 1.5 times the font size;</li> <li>● Spacing following paragraphs to at least 2 times the font size;</li> <li>● Letter spacing (tracking) to at least 0.12 times the font size;</li> <li>● Word spacing to at least 0.16 times the font size.</li> </ul> <p><b>Exception:</b> Human languages and scripts that do not make use of one or more of these text style properties in written text can conform using only the properties that exist for that combination of language and script.</p>	<b>Supports</b>	When all the conditions were applied, all text was clearly visible without truncation or loss of functionality.
<p><b><a href="#">1.4.13 Content on Hover or Focus</a></b> (Level AA 2.1 and 2.2)</p>	<b>Not Applicable</b>	On the app's interface, no additional content is

Criteria	Conformance Level	Remarks and Explanations
<p>Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:</p> <ul style="list-style-type: none"> <li>● <b>Dismissible</b> A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content;</li> <li>● <b>Hoverable</b> If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;</li> <li>● <b>Persistent</b> The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.</li> </ul> <p><b>Exception:</b> The visual presentation of the additional content is controlled by the user agent and is not modified by the author.</p> <p>Revised Section 508 – Does not apply</p>		<p>displayed on pointer hover or keyboard focus.</p> <p><b>Exception:</b> The visual presentation of the desktop’s interface (on hover) is controlled by the Windows application and is not modified by the author.</p>
<p><a href="#">2.4.5 Multiple Ways</a> (Level AA) More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.</p>	<b>Supports</b>	Search functionality is implemented in sections that require it. Other pages not accessible via search are found to be steps in processes.
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA) Headings and labels describe the topic or purpose.</p>	<b>Supports</b>	Heading levels are sequential and accurately represent the content that follows.
<p><a href="#">2.4.7 Focus Visible</a> (Level AA) Any keyboard-operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>	<b>Supports</b>	Focus is clearly visible on all interactive elements.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only) When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.</p> <p>Revised Section 508 – Does not apply</p>	<p><b>Supports</b></p>	<p>Keyboard focus on any component does not unexpectedly block interaction with other components.</p>
<p><a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only) All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p> <p>Revised Section 508 – Does not apply</p>	<p><b>Not Applicable</b></p>	<p>No functionality requires dragging movement to operate.</p>
<p><a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only) The size of the target for pointer inputs is at least 24 by 24 CSS pixels, except where:</p> <p><b>Spacing:</b> Undersized targets (those less than 24 by 24 CSS pixels) are positioned so that if a 24 CSS pixel diameter circle is centered on the bounding box of each, the circles do not intersect another target or the circle for another undersized target;</p> <p><b>Equivalent:</b> The function can be achieved through a different control on the same page that meets this criterion;</p> <p><b>Inline:</b> The target is in a sentence or its size is otherwise constrained by the line-height of non-target text;</p> <p><b>User-agent control:</b> The size of the target is determined by the user agent and is not modified by the author;</p> <p><b>Essential:</b> A particular presentation of the target is essential or is legally required for the information being conveyed.</p> <p>Revised Section 508 – Does not apply</p>	<p><b>Supports</b></p>	<p>All interactive components have a target size of at least 24px by 24px.</p>
<p><a href="#">3.1.2 Language of Parts</a> (Level AA) The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding</p>	<p><b>Supports</b></p>	<p>All parts are rendered in English; no section or part of any page requires targeted definition of a different language.</p>

Criteria	Conformance Level	Remarks and Explanations
text.		
<p><a href="#">3.2.3 Consistent Navigation</a> (Level AA)            Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>	<b>Supports</b>	The location of navigational elements throughout the website is consistent and intuitive.
<p><a href="#">3.2.4 Consistent Identification</a> (Level AA)            Components that have the same functionality within a set of Web pages are identified consistently.</p>	<b>Supports</b>	All components with the same functionality are identified by the same label or accessible name.
<p><a href="#">3.3.3 Error Suggestion</a> (Level AA)            If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	<b>Supports</b>	If an input error is known, the app describes it. Autosuggestion functionality was also deployed to help mitigate errors in essential input forms.
<p><a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)            For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>● <b>Reversible:</b> Submissions are reversible.</li> <li>● <b>Checked:</b> Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>● <b>Confirmed:</b> A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> </ul>	<b>Supports</b>	Payment methods deployed on this app follow the standard checks to ensure user verification and reversible error corrections.
<p><a href="#">3.3.8 Accessible Authentication (Minimum)</a> (Level AA 2.2 only)            A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless</p>	<b>Supports</b>	No cognitive function test such as Captcha, Turnstile, or similar puzzle is implemented on this app.

Criteria	Conformance Level	Remarks and Explanations
<p>that step provides at least one of the following:</p> <p><b>Alternative</b> Another authentication method that does not rely on a cognitive function test.</p> <p><b>Mechanism</b> A mechanism is available to assist the user in completing the cognitive function test.</p> <p><b>Object Recognition</b> The cognitive function test is to recognize objects.</p> <p><b>Personal Content</b> The cognitive function test is to identify non-text content the user provided to the Web site.</p> <p>Revised Section 508 – Does not apply</p>		<p><b>Exception:</b> A ‘Remember password’ option is provided as an alternative for users who cannot recall their credentials.</p>
<p><a href="#">4.1.3 Status Messages</a> (Level AA 2.1 and 2.2) In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.</p> <p>Revised Section 508 – Does not apply</p>	<p><b>Supports</b></p>	<p>Status messages are auto-announced by assistive technology/screen readers.</p>

## Revised Section 508 Report

Notes: This report has been updated to align with Section 508 standards, reflecting ongoing commitment to accessibility.

### Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes: This section presents a breakdown of how the flexidesktop application meets Level A and Level AA requirements based on FPC.

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	<p><b>Supports</b></p>	<p>Users who are blind can operate the parts of the application covered by the scope of this VPAT.</p>

Criteria	Conformance Level	Remarks and Explanations
302.2 With Limited Vision	<b>Supports</b>	Persons with limited vision will be able to use this app.
302.3 Without Perception of Color	<b>Supports</b>	See WCAG SC 1.4.1
302.4 Without Hearing	<b>Supports</b>	No functionality depends on auditory capabilities.
302.5 With Limited Hearing	<b>Supports</b>	No functionality or content is conveyed through sound.
302.6 Without Speech	<b>Supports</b>	No functionality depends on speech to activate.
302.7 With Limited Manipulation	<b>Supports</b>	See WCAG SC 2.1.1 and 2.4.1 above.
302.8 With Limited Reach and Strength	<b>Supports</b>	Users with limited reach and strength will find no functionality that requires them.
302.9 With Limited Language, Cognitive, and Learning Abilities	<b>Supports</b>	See WCAG 3.1.1, 3.3.2, and 2.4.6 above.

## Legal Disclaimer (flexidesktop)

*The information and content in this document are provided for informational purposes only and are delivered 'as is,' without any warranties, either express or implied. This includes, but is not limited to, warranties of merchantability, fitness for a particular purpose, and non-infringement. The information provided herein may be subject to change without notice.*